

$$GHG_{n-m,i} = \sum_{k=1}^n [FPP_k \times t_k] \times MF_i \times \rho_i \times 0.001$$

Where:

$GHG_{n-m,i}$  = Annual emissions of greenhouse gas  $i$  attributable to natural gas driven pneumatic pumps, in metric tons;

$n$  = Total number of natural gas driven pneumatic pumps;

$k$  = Natural gas driven pneumatic pump;

$FPP_k$  = Natural gas flow for natural gas driven pneumatic pumps  $k$ , determined in accordance with paragraph 3 of QC.29.4.1 or using Table 29-6 in QC.29.6 or calculated using equation 29-4.1 or 29- 4.2, in cubic metres per hour at standard conditions;

$t_k$  = Annual operating time for natural gas driven pneumatic pumps  $k$ , in hours;

$MF_i$  = Molar fraction of greenhouse gas  $i$  in natural gas, determined in accordance with paragraph 3 of QC.29.4;

$\rho_i$  = Density of greenhouse gas  $i$  that is 1.893 kg per cubic metre for  $CO_2$  and 0.690 kg per cubic metre for  $CH_4$ , at standard conditions;

0.001 = Conversion factor, kilograms to metric tons;

$i$  =  $CO_2$  or  $CH_4$ .